



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/726,082

12/02/2003

Takaya Ono

450100-04842

4740

7590 05/12/2009  
William S. Frommer, Esq.  
FROMMER LAWRENCE & HAUG LLP  
745 Fifth Avenue  
New York, NY 10151

EXAMINER

DANG, HUNG Q

ART UNIT

PAPER NUMBER

2621

MAIL DATE

DELIVERY MODE

05/12/2009

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/726,082	<b>Applicant(s)</b> ONO ET AL.	
	<b>Examiner</b> Hung Q. Dang	<b>Art Unit</b> 2621	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 04 March 2009.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-4, 7-16 and 19-25 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-4, 7-16 and 19-25 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 02 December 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some \* c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)                                | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                       | 5) <input type="checkbox"/> Notice of Informal Patent Application                       |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

## **DETAILED ACTION**

### ***Continued Examination Under 37 CFR 1.114***

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 03/04/2009 has been entered.

### ***Response to Arguments***

Applicant's arguments filed 03/04/2009 have been fully considered but are moot in view of the new ground(s) of rejection.

### ***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

**Claims 1-4, 13-16, and 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gotoh et al. (US Patent 6,314,235), Kawashima et al. (US Patent 6,438,084), Shagam (US Patent 6,205,529), and Okada et al. (US Patent 6,122,436).**

Regarding claim 1, Gotoh et al. disclose a recording control apparatus for controlling data recording on a recoding medium (column 16, lines 36-57), comprising: area-reserving means for reserving, as reserved areas, predetermined-sized

consecutive empty areas having a predetermined size for guaranteeing a real-time playback from among recording areas on the recording medium (Fig. 3; column 9, lines 61-65; column 10, lines 18-24, 43-48; column 11, lines 45-57; column 14, lines 10-18); recording control means for controlling recording of data in the reserved areas (column 10, lines 3-6, 49-54; column 14, lines 19-30; column 16, lines 32-52); and area-freeing means for freeing, as empty areas, a remaining part of the reserved areas in which the data in units of packets is not recorded (Fig. 3; column 17, lines 25-34); wherein recording of data into the reserved area is terminated when the remaining part of the reserved area is used up (column 11, lines 31-39; Fig. 9). Gotoh et al. also disclose additional reserving means for additionally reserving, as the reserved areas, consecutive empty areas which follow the predetermined-sized consecutive empty areas reserved by said area-reserving means (column 10, lines 43-48; column 11, lines 45-48).

However, Gotoh et al. do not disclose a reference value determining unit determines a reference value of data to be recorded on the recording medium, the reference value being determined by a data rate and a presentation period of the data so that a reading time of the data is longer than a seeking time of non-consecutive data; and data in units of packets wherein the size of the packet is determined by the reference value and an alignment of the packet with a boundary of an adjacent ECC block of the recording medium. Also, Gotoh et al. do not disclose size-determining means for determining whether or not the consecutive empty areas which follow the predetermined-sized consecutive empty areas reserved by said area-reserving means

have a size less than the predetermined size, wherein, wherein recording of data into the reserved area is terminated when the remaining part of the reserved area is less than the size of a packet and greater than zero; and wherein when the consecutive empty areas which follow the predetermined-sized consecutive empty areas reserved by said area-reserving means have a size less than the predetermined size, said additional reserving means additionally reserves, as the reserved areas, the consecutive empty areas which have the size less than the predetermined size.

Kawashima et al. disclose data in units of packets and the packet is a minimum unit of data to be continuously written to a recording medium and data will not be written to the CD-R in any unit smaller than the packet (column 18, lines 46-54) wherein the size of the packet is determined an alignment of the packet with a boundary of an adjacent ECC block of the recording medium (column 17, lines 59-66; column 18, lines 46-54 – *noting that the data blocks are ECC blocks and the size of the packet is an integral number of the data blocks, thus aligned with a boundary of the adjacent ECC block following the last ECC block of the packet*).

One of ordinary skill in the art at the time the invention was made would have been motivated to incorporate the data in units of packets and the packet is a minimum unit of data to be continuously written disclosed by Kawashima et al. into the apparatus disclosed by Gotoh et al. so that data can properly be recorded and read without minimizing the ability of correcting errors in the recording medium having the high recording density (Kawashima et al., column 4, lines 29-38; column 5, lines 10-20) and by that incorporation, having the apparatus characterized by terminating recording of

data into the reserved area when the remaining part of the reserved area is less than the size of a packet and greater than zero.

However, the proposed combination of Gotoh et al. and Kawashima et al. does not disclose a reference value determining unit determines a reference value of data to be recorded on the recoding medium, the reference value being determined by a data rate and a presentation period of the data so that a reading time of the data is longer than a seeking time of non-consecutive data wherein the size of the packet is determined by the reference value; and size-determining means for determining whether or not the consecutive empty areas which follow the predetermined-sized consecutive empty areas reserved by said area-reserving means have a size less than the predetermined size, and wherein when the consecutive empty areas which follow the predetermined-sized consecutive empty areas reserved by said area-reserving means have a size less than the predetermined size, said additional reserving means additionally reserves, as the reserved areas, the consecutive empty areas which have the size less than the predetermined size.

Shagam discloses defragmenting means, in which size-determining means for determining whether or not the consecutive empty areas which follow the predetermined-sized consecutive empty areas reserved by said area-reserving means have a size less than a predetermined size (column 2, lines 1-8, the “predetermined size” is the size of the file to be recorded), wherein, when the consecutive empty areas which follow the predetermined-sized consecutive empty areas reserved by said area-reserving means have a size less than the predetermined size, said additional reserving

means additionally reserves, as the reserved areas, the consecutive empty areas which have the size less than the predetermined size (the reserved areas are merged by defragmentation in column 1, line 63 – column 2, line 26).

One of ordinary skill in the art at the time the invention was made would have been motivated to incorporate the defragmenting means disclosed by Shagam into the apparatus disclosed by Gotoh et al. and Kawashima et al. because the defragmentation provides advantages of more efficient use of disk space as well as access speed of the data (Shagam, column 1, lines 45-65).

However, Gotoh et al., Kawashima et al., and Shagam do not disclose a reference value determining unit determines a reference value of data to be recorded on the recoding medium, the reference value being determined by a data rate and a presentation period of the data so that a reading time of the data is longer than a seeking time of non-consecutive data wherein the size of the packet is determined by the reference value.

Okada et al. disclose a reference value determining unit determines a reference value of data to be recorded on the recoding medium (Fig. 2a; Fig. 2b; column 20, line 66 - column 21, line 26), the reference value being determined by a data rate and a presentation period of the data so that a reading time of the data is longer than a seeking time of non-consecutive data (Fig. 2a; Fig. 2b; column 20, line 66 - column 21, line 26) wherein the size of the packet is determined by the reference value (Fig. 2a; Fig. 2b; column 20, line 66 - column 21, line 26 – the packet corresponds to the a contiguous amount of data).

One of ordinary skill in the art at the time the invention was made would have been motivated to incorporate the reference value determining unit disclosed Okada et al. into the apparatus disclosed by Gotoh et al., Kawashima et al., and Shagam in order to keep the buffer from underflow therefore guaranteeing uninterrupted reproduction of the data.

Regarding claim 2, Gotoh et al. also disclose data-existence determining means for determining whether or not data to be recorded on the recording medium exists (column 8, lines 57-63), wherein reservation of the predetermined-sized consecutive empty areas by said area-reserving means, and recording of the data in units of packets by said recording control means are repeatedly performed until there is no more data to be recorded on the recording medium (Fig. 1; column 10, lines 3-6, 49-54; column 14, lines 19-30; column 16, lines 32-52).

Regarding claim 3, Gotoh et al. also disclose among continuous empty areas of the recording areas on the recording medium which have a size equal to or larger than the predetermined size (column 13, lines 9-14), from a continuous empty area having the largest size (either "area 586-3584" or "area 3888 to end" of C2 in Fig. 3), a continuous empty area having the earliest position in order of reading or writing of data on the recording medium ("area 84 to 583" of C2 in Fig. 3), and a continuous empty area closest to one recording area having last recorded data ("area 3888 to end" of C2 in Fig. 3), one continuous empty area is reserved as each of the predetermined-sized consecutive empty areas by said area-reserving means (column 9, lines 61-65; column 10, lines 43-48; column 11, lines 45-57; column 14, lines 10-18).



Regarding claim 4, Gotoh et al. also disclose remaining-part determining means for determining whether or not the reserved areas include a remaining part in which the data is not recorded (column 17, lines 25-34, 7-11), wherein, when the reserved areas include the remaining part in which the data is not recorded, said remaining-part determining means frees the remaining part of the reserved area (compare C2 and C3 in Fig. 3).

Claim 13 is rejected for the same reason as discussed in claim 1 above.

Claim 14 is rejected for the same reason as discussed in claim 2 above.

Claim 15 is rejected for the same reason as discussed in claim 3 above.

Claim 16 is rejected for the same reason as discussed in claim 4 above.

Claim 25 is rejected for the same reason as discussed in claim 1 above.

**Claims 7-9 and 19-21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gotoh et al. (US Patent 6,314,235), Kawashima et al. (US Patent 6,438,084), Shagam (US Patent 6,205,529), and Okada et al. (US Patent 6,122,436) as applied to claims 1-4, 13-16, and 25 above, and further in view of Ando et al. (US Patent 6,373,803).**

Regarding claim 7, see the teachings of Gotoh et al., Kawashima et al., Shagam, and Okada et al. as discussed in claim 1 above. However, the proposed combination of Gotoh et al., Kawashima et al., Shagam, and Okada et al. does not disclose packetization means for packetizing data into packets each having a size by which alignment is established with physical unit areas on the recording medium, wherein said recording control means controls recording of the data in units of the packets.

Ando et al. disclose an MPEG packetization means for packetizing data into packets (column 17, line 49 – column 18, line 14) each having a size by which alignment is established with physical unit areas on the recording medium (Fig. 1h-i; Fig. d-e), wherein said recording control means controls recording of the data in units of the packets (column 14, line 57 – column 15, line 10)

One of ordinary skill in the art at the time the invention was made would have been motivated to incorporate the MPEG packetization means disclosed by Ando et al. into the apparatus disclosed by Gotoh et al., Kawashima et al., Shagam, and Okada et al. to make the apparatus compatible with video data of popular existing standards such as MPEG.

Regarding claim 8, Ando et al. also disclose said packetization means comprises: data-storage means for temporarily storing data (column 15, lines 5-14); storage-amount determining means for determining the amount of data stored in said data-storage means (the “amount of data” to be determined is the size of an ECC block in column 46, lines 12-15, which is equal to that of 16 sectors); and data-extracting means in which, when the amount of data stored in said data-storage means reaches a reference value, data having a size by which alignment is established with the physical unit areas on the recording medium and which is closest to the reference size is extracted from said data-storage means and is output as a packet having a size by which alignment is established with the physical unit areas on the recording medium (column 46, lines 6-26; column 7, lines 13-23; with “reference value” equal to size of

either an ECC block or a stream block. Either an ECC block or a stream block is aligned with physical sectors, which are the physical unit areas).

Regarding claim 9, Ando et al. also disclose said data-extracting means extracts, from said data-storage means, data having the maximum size by which alignment is established with the physical unit areas on the recording medium (column 46, lines 6-26; column 7, lines 13-23; data are extracted and recorded in units of either an ECC block or a stream block. Either an ECC block or a stream block is aligned with physical sectors, which are the physical unit areas. The stream block has maximum size by which alignment is established with the physical unit areas).

Claim 19 is rejected for the same reason as discussed in claim 7 above.

Claim 20 is rejected for the same reason as discussed in claim 8 above.

Claim 21 is rejected for the same reason as discussed in claim 9 above.

**Claims 10-12 and 22-24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gotoh et al. (US Patent 6,314,235), Kawashima et al. (US Patent 6,438,084), Shagam (US Patent 6,205,529), Okada et al. (US Patent 6,122,436), and Ando et al. (US Patent 6,373,803) as applied to claims 1-4, 7-9, 13-16, 19-21, and 25 above, and further in view of Sanami (US Patent 6,014,368).**

Regarding claim 10, see the teachings of Gotoh et al., Kawashima et al., Shagam, Okada et al., and Ando et al. as discussed in claim 7 above. Further, Gotoh et al. also disclose and said recording control apparatus further comprises multiplexing means for multiplexing the packets corresponding to the plurality of data series which are output from the packetization means (Fig. 8c; column 17, lines 1-4).

However, the proposed combination of Gotoh et al., Kawashima et al., Okada et al., Shagam, and Ando et al. does not disclose said packetization means comprises a plurality of packetization means for packetizing a plurality of data series into packets;

Sanami discloses packetization means comprises a plurality of packetization means for packetizing a plurality of data series into packets (column 8, lines 25-28; and Fig. 1).

One of ordinary skill in the art at the time the invention was made would have been motivated to incorporate the packetization means that comprises a plurality of packetization means disclosed by Sanami into the apparatus disclosed by Gotoh et al., Kawashima et al., Shagam, Okada et al., and Ando et al. to implement parallel packetization. The incorporated feature would increase the speed of data processing, thus, enhancing the performance of the system.

Regarding claim 11, Ando et al. also disclose said plurality of multiplexing means multiplex the packets corresponding to the plurality of data series in ascending order of the presentation times of data items allocated in the packets (Fig. 10; column 18, lines 22-24; column 24, lines 5-15).

Regarding claim 12, Ando et al. also disclose said plurality of multiplexing means multiplex the packets corresponding to the plurality of data series in ascending order of the presentation times of data items allocated in packets (Fig. 10; column 18, lines 22-24; column 24, lines 5-15) which each have a size equal to a reference value and which are obtained when the plurality of data series are packetized (column 24, lines 5-15; Fig. 8h; Fig. 1i with the reference value being the size of a sector).

Claim 22 is rejected for the same reason as discussed in claim 10 above.

Claim 23 is rejected for the same reason as discussed in claim 11 above.

Claim 24 is rejected for the same reason as discussed in claim 12 above.

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hung Q. Dang whose telephone number is (571)270-1116. The examiner can normally be reached on IFT.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, THAI Q. TRAN can be reached on 571-272-7382. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Hung Q Dang/  
Examiner, Art Unit 2621

Application/Control Number:  
10/726,082  
Art Unit: 2621

Page 13

/Thai Tran/  
Supervisory Patent Examiner, Art Unit 2621